



**sunair**  
products  
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

**E-Bulletin**

PAGE 1 of 5  
E-BULLETIN: 0962

# PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



**220-333**

Cycling Switch - Female 7/16-20 Thd. Open 24 PSI - Close 44 PSI (NO) 73-96 GM, 83-91 Volvo (Replaces MT0207)



**220-377**

Ford Cycling Switch - Female 7/16-20 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0203)



**MC-910**

Binary Pressure Switch - Male 3/8-24 Thd. Open 394 PSI - Close 28-312 PSI (NO) (Replaces MT0201 / MT0374)



**MC-911**

Binary Pressure Switch - Female 3/8-24 Thd. Open 394 PSI - Close 30-290 PSI (NO) (Replaces MT1045)



**MC-912**

Low Side Pressure Switch - Male 3/8-24 Thd. On 14 PSI - Close 45 PSI (NO) - Block Valve (Replaces MT0601 / MT0227)



**MC-1073**

Supercedes GM White Compressor Pressure Switch - On 26 PSI - Off 25 PSI (OEM # 15-2122, 2724020 / 6551454)



**MC-1119**

GM Cycling Switch - Female M12-1.5 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0206)



**MC-1120**

Ford Cycling Switch - Female M12-1.5 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0202)



**MC-1137**

Binary Pressure Switch - Male 3/8-24 Thd. Open 341 PSI - Close LP 28 PSI - Close HP 455 PSI (NC)



**MC-1212**

GM High Pressure Cut-Out Switch On 200 PSI - Off 430 PSI Delco #15-2333, 15-2830 (Replaces MT0536)



**MC-1235**

Binary Switch - Male 3/8-24 Thd. Open 374 PSI - Close 28-250 PSI (NO) 88 - 92 Acura / Honda (Replaces MT0350)



**MC-1236**

Trinary Switch - Male 3/8-24 Thd. Close 30-384 PSI - Fan Open 220 PSI (NO) 88 - 92 Acura / Honda (Replaces MT0351)

NOTE: NO - Normally Open NC - Normally Closed


Sunair Products, Inc. • Phone: (817) 831-6301  
Toll Free: 1-800-831-6301  
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



**Online**  
www.coolpro.com  
www.sunairusa.com  
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186  
Fax: +31 (0) 495 542787  
Sales: sales@sunaireurope.com





**sunair**  
products  
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

**E-Bulletin**

PAGE 2 of 5  
E-BULLETIN: 0962

# PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



**MC-1237**

Trinary Switch - Male M11-1.0 Thd. Close 29-455 PSI - Fan Open 220 PSI (NO) 96 - 98 Acura (Replaces MT0352)



**MC-1238**

Binary Switch - Male M11-1.0 Thd. Open 451 PSI - Close 375 - Open 28 PSI (NO) 93-99 Toyota / Lexus (Replaces MT0354)



**MC-1239**

Binary Switch - Male M11-1.0 Thd. Open 454 PSI - Close 375 PSI - Open 28 PSI (NO) 91 - 99 Acura / Honda (Replaces MT0359)



**MC-1241**

Ford / Mazda High Pressure Switch - Female M10-1.25 Thd. Open 435 PSI - Close 290 PSI (NC) (Replaces MT0611)



**MC-1242**

Chrysler Pressure Transducer - Female 7/16-20 Thd. 1.50V @ 100 PSI - 1.80V @ 200 PSI - 2.85V @ 300 PSI (Replaces MT0614)



**MC-1245**

GM Cycling Switch - Female M12-1.5 Thd. Open 23 PSI - Close 43 PSI (NO) (Replaces MT0606)



**MC-1250**

4 Pin Compressor Relay 92 - 04 GM (Replaces MT0959)



**MC-1252**

5 Pin Blower Relay 77 - 94 GM (Replaces MT0515)



**MC-1253**

5 Pin Blower Relay 80 - 94 Chrysler Various (Replaces MT0475)



**MC-1255**

Blower Switch 74 - 88 Chrysler (Replaces MT0465)



**MC-1256**

5 Pin Radiator Fan Relay 94 - 04 GM Various (Replaces MT0967)



**MC-1257**

GM High Pressure Switch On 260 PSI - Off 160 PSI 77 - 89 GM Compressors (Replaces MT0671)

NOTE: NO - Normally Open NC - Normally Closed

Sunair Products, Inc. • Phone: (817) 831-6301

Toll Free: 1-800-831-6301

Fax: (817) 222-7800 • Sales: sales@sunairusa.com



**Online**

www.coolpro.com

www.sunairusa.com

www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186

Fax: +31 (0) 495 542787

Sales: sales@sunaireurope.com





**sunair**  
products  
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

**E-Bulletin**

PAGE 3 of 5  
E-BULLETIN: 0962

# PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



**MC-1258**

Low Pressure Cut-Out Switch  
On 43 PSI - Off 37 PSI  
77 - 84 GM Compressors  
(Replaces MT0501)



**MC-1259**

Cycling Switch  
Female M12-1.5 Thd.  
Open 23 PSI - Close 44 PSI (NO)  
93 - 04 GM (Replaces MT0968)



**MC-1260**

Blower Switch 74 - 92 Ford  
(Replaces MT0487)



**MC-1261**

5 Pin Universal Relay  
(Replaces MT0223)



**MC-1262**

Cycling Switch - Female M12-1.5  
Thd. Open 24 PSI - Close 44 PSI  
(NO) 96 - 99 Ford (Replaces  
MT0444)



**MC-1263**

Trinary Switch Female M10-1.25  
Thd.- Open 450 PSI - Close 250  
PSI - Fan Open 220 PSI (NC)  
94 - 96 Ford  
(Replaces MT0491)



**MC-1264**

High Pressure Switch - Female  
7/16-20 Thd. Open 475 PSI -  
Close 325 PSI (NC) 92 - 96  
Chrysler (Replaces MT0473)



**MC-1265**

High Pressure Switch - Female  
M10-1.25 Thd. Open 497 PSI -  
Close 340 PSI (NC)  
(Replaces MT0822)



**MC-1267**

Cycling Switch - Female M12-1.5  
Thd. Open 25 PSI - Close 44 PSI  
(NO) 94 - 98 Dodge  
(Replaces MT0613)



**MC-1268**

GM A6 / Sunair S6 Thermal limiter  
Fuse (GM #6551258, Delco #15-  
50430)



**MC-1269**

5 Pin Blower / Compressor Relay  
90 - 92 GM  
(Replaces MT0508)



**MC-1274**

Cycling Switch - Female M12-  
1.5 Thd. Open 24 PSI - Close  
38 PSI (NO) 97 - 02 Dodge  
(Replaces MT1007)


NOTE: NO - Normally Open NC - Normally Closed


Sunair Products, Inc. • Phone: (817) 831-6301  
Toll Free: 1-800-831-6301  
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



**Online**  
www.coolpro.com  
www.sunairusa.com  
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186  
Fax: +31 (0) 495 542787  
Sales: sales@sunaireurope.com





**sunair**  
products  
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

**E-Bulletin**

PAGE 4 of 5  
E-BULLETIN: 0962

# PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



**MC-1276**  
4 Pin Radiator Relay 93 - 04 GM  
(Replaces MT1027)



**MC-1278**  
Manual Thermostat  
W/ 16" Capillary Tube  
(Replaces MT0626)



**MC-1279**  
Binary Switch - Male 3/8-24 Thd.  
Open 375 PSI - Close 451 PSI -  
Open 28 PSI (NC) 90-93 Acura /  
Honda, 98 - 99 Isuzu  
(Replaces MT0397)



**MC-1305**  
Volvo Cycling Switch - Female  
M12-1.5 Thd. Open 24 PSI -  
Close 44 PSI (NO) 94 - 97 Volvo  
(Replaces MT0210)



**MC-1306**  
GM Cycling Switch - Female M12-  
1.5 Thd. Open 24 PSI - Close 44  
PSI (NO) 90 - 96 Cars, 94 - 00  
Trucks (Replaces MT0205)



**MC-1313**  
Binary Switch  
Female 7/16-20 Thd.  
27 PSI - 170 PSI



**MC-1315**  
Sunair S6 (GM A6 Replacement)  
Special High Pressure Switch  
On 250 PSI - Off 375 PSI



**MC-1316**  
GM A6 / Sunair S6  
Superheat Switch



**MC-1318**  
Binary Switch - Female 7/16-20  
Thd. Open 375 PSI - Close 350  
PSI - Open 28 PSI (NO)  
Caterpillar



**MC-1319**  
Peterbilt High Pressure Switch  
Female M10-1.25 Open 200 PSI -  
Close 270 PSI (NO)  
OEM #18-03836, P93CAA3606-1



**MC-1320**  
Peterbilt High Pressure Switch  
Female M10-1.25 Open 330-370  
PSI - Close 180-240 PSI (NC)  
OEM #18-03835,  
P93CAA3605-1



**MC-1321**  
Peterbilt Pressure Cycling Switch  
Female M12-1.5 Thd. Open 23  
PSI - Close 47 PSI (NO)  
OEM #18-04331, 18-03834,  
P93CA3604-1


NOTE: NO - Normally Open NC - Normally Closed


Sunair Products, Inc. • Phone: (817) 831-6301  
Toll Free: 1-800-831-6301  
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



**Online**  
www.coolpro.com  
www.sunairusa.com  
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186  
Fax: +31 (0) 495 542787  
Sales: sales@sunaireurope.com





**sunair**  
products  
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

**E-Bulletin**

PAGE 4 of 5  
E-BULLETIN: 0962

## PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.

<p><b>MC-1322</b> Freightliner High Pressure Switch Female 7/16-20 Thd. Open 265 PSI - Close 180 PSI (NC) OEM #A22-30930-001</p>	<p><b>MC-1323</b> Freightliner High Pressure Switch Female M10-1.25 Thd. Open 300 PSI - Close 250 PSI (NC) OEM #A22-45194-001</p>	<p><b>MC-1324</b> Navistar High Pressure Switch Female 7/16-20 Thd. Open 200 PSI - Close 270 PSI (NO) OEM #2035274C1</p>	<p><b>MC-1325</b> Navistar High Pressure Switch Female M10-1.25 Thd. Open 300 PSI - Close 210 PSI (NC) OEM #3521729C1</p>
			<p><b>MORE NEW PRODUCTS COMING SOON!</b></p>
<p><b>MC-1328</b> GM Pressure Switch 10S20F - Purple</p>	<p><b>MC-1329</b> GM High Pressure Switch On 245 PSI - Off 470 PSI 10S20F - Red</p>	<p><b>MC-1330</b> Chrysler High Pressure Switch On 265 PSI - Off 460 PSI 10S17C - Green</p>	

NOTE: NO - Normally Open NC - Normally Closed

## Sunair

Your source for the newest and most  
popular Mobile Air Conditioning Parts.

**Call Your Sunair Sales Rep Now To Order!**

Sunair Products, Inc. • Phone: (817) 831-6301  
Toll Free: 1-800-831-6301  
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



**Online**  
www.coolpro.com  
www.sunairusa.com  
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186  
Fax: +31 (0) 495 542787  
Sales: sales@sunaireurope.com

